

**SERVICE**

**MANUAL**

**L I N E**

**MONITOR**

**LM-9228**


**interM**

## ELECTRICAL PARTS LIST ( LM - 9228 )

Ref No.	Part No.	Description	Value	Qty
<b>MAIN B'D</b>				
C105 C145	3509681130-T	CAP CE B 680PF 50V K	680P	2
C110 C150	3609104120-T	CAP MA 0.1UF 100V J	0.1UF(M)	2
C116 C156	3509101130-T	CAP CE SL 100PF 50V J	100P	2
C182 C184	3529104531-A	CAP CE F 100000PF 50V Z	100000P	2
C101-103 C107 C114 C117 C141-143 C147 C154 C157	3409247971-T	CAP AF RSG 4.7UF 50V 5 P	4.7/50	12
C115 C104 C144 C155	3409222071-T	CAP AF RSG 22UF 50V 5 P	22/50	4
C118 C158	3409222971-T	CAP AF RSG 2.2UF 50V 5 P	2.2/50	2
C146 C106	3409210071-T	CAP AF RSG 10UF 50V 5 P	10/50	2
C120 C160	3409210171-T	CAP AF RSG 100UF 50V 8 P	100/50	2
AN401 AN501 CN401 CN501	4428598312	CONNECTOR WAFER LW-0640-12P	CNT12P	4
AN101 AN103 AN105 AN108 CN101 CN103 CN105 CN108	4428598303	CONNECTOR WAFER LW-0640-3P	CNT3P	8
AN404 AN504 CN404 CN504	4428598305	CONNECTOR WAFER LW-0640-5P	CNT5P	4
AN107 AN110 CN107 CN110	4428598306	CONNECTOR WAFER LW-0640-6P	CNT6P	4
D101-102 D141-142	2058304100	DIODE IN4148M	1N4148	4
D181	2058100996	DIODE RECTIFIER LT1N4006(4007)	1N4006	1
C108 C119 C148 C159	3409210171-T	CAP AF RSG 100UF 50V 8 P	100/50	4
C151 C111	3409222171-T	CAP AF RSG 220UF 50V SG 10 P	220/50	2
C109 C149	3409247871-T	CAP AF RSG 0.47UF 50V 5 P	0.47/50	2
F181	5508222030	FUSE NB 31.8MM 750MA/250V KS	750mA/250V	1
IC101 IC141	2118010590	IC NJM4558D JRC	4558	2
J201 J203 J205 J207 J301 J303 J305 J307	4438193810	XLR JACK(F) 3P(E203A0040N)	XLR JACK (F)	8
J202 J204 J206 J208 J302 J304 J306 J308	4408194310	XLR JACK (M) E503A0150N	XLR JACK (M)	8
IC103 IC143	2118030405	KIA6966S	KIA6966S	2
D601-604 D701-704	2308252222-T	SLR-54URA 49	LED RED R5	8
D801-805 D901-905	2308237222-T	SLR 34VC 25	LED3PI	10
R101-104 R116 R141-144 R156	3009223973	RES CF 2.2K 1/5W J N	100K	10
R146 R106	3009123973	RES CF 12K 1/5W J N	12K	2
R148 R108	3009472973	RES CF 4.7K 1/5W J N	4.7K	2
R150 R110 R149 R109	3009103973	RES CF 10K 1/5W J N	10K	4
R115 R155	3009683973	RES CF 68K 1/5W J N	68K	2
R117 R157	3039151472-T	RES MO 150 1W JN	150/1W	2
R107 R145 R147 R105	3009223973	RES CF 22K 1/5W J N	22K	4
VR1001 VR1101	3228084310	VR RK11K112010152A	5KA	2
J101	4438094610	DC TERMINAL 2P	DC TERMINAL2P	1
R112 R152	3009223973	RES CF 2.2K 1/5W J N	100	2
R113 R153 R401-404 R501-504	3009222973	RES CF 2.2K 1/5W J N	2.2K	10
R154 R158-162 R118-122 R114	3009223973	RES CF 2.2K 1/5W J N	3.9K	12
IC102 IC142			LM384N	2
IC181			7818	1
R111 R151			2	2

AN102 AN104 CN102 CN104 CN106 CN109			CNT2P	6
FB101-102 FB141-142			FB	4
FH181-182			FHOLDER	2
SPK1			SPEAKER1	1
SPK2			SPEAKER2	1
SW401 SW501			SW	2
T101 T141			TRANSM(1.2K:600)	2
C112 C152 C181 C183	3408247171	CAP RSA 470UF 50V SNAP 13 P	470/50	4
C113 C153			0.68UF(M)	2
	3009102973	RES CF 1K 1/5W J N	1K	8
	3639474111-T	CAP ECO-V 1H474JL2 0.47UF 50V	M474/50V	2
	3409247971-T	CAP AF RSG 4.7UF 50V 5 P	4.7/50	4
	3009392973	RES CF 3.9K 1/5W J N	3.9K	2
	3009222973	RES CF 2.2K 1/5W J N	2.2K	12

1	2	3	4	5	6	7	8	9	
COMPANY	JIN-MUYNG	APPLICANT	REVISED NUMBER AND DATE	DRAWN	CHECKED	APPROVED NOTE	SIZE	SHEET NO.	SCHEMATIC DIAGRAM
TYPE CODE			1. 4. 7.				A2	1/1	MODEL : LM-9228.SCH
APPROVED DATE			2. 5. 8.						
			3. 6. 9.						



**SCHEMATIC DIAGRAM**  
**MODEL : LM9228**

